

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/502,182	02/10/2000	Sivan Tafla	10980/010001/122315.5	4849
20529	7590 12/03/2003		EXAMINER	
NATH & ASSOCIATES 1030 15th STREET			CARLSON, JEFFREY D	
6TH FLOOR			ART UNIT	PAPER NUMBER
WASHINGTON, DC 20005			3622	

DATE MAILED: 12/03/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

, ipplication, con

Art Unit: 3622

Response to Amendment

1. The reply filed on 6/3/03 is not fully responsive to the prior Office Action because of the following omission(s) or matter(s):

The papers filed 6/3/03 indicate new claims 51-53 have been filed. However, claim 52 appears to be incomplete and claim 53 is not present.

See 37 CFR 1.111. Since the above-mentioned reply appears to be *bona fide*, applicant is given **ONE (1) MONTH or THIRTY (30) DAYS** from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jeffrey D. Carlson whose telephone number is 703-308-3402. The examiner can normally be reached on Mon-Fri 8:30-6p, (off on alternate Fridays).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eric Stamber can be reached on 703-305-8469. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9326.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-1113.

Jeffrey D. Carlson Primary Examiner Art Unit 3622

MALL